

Contract 1-05-23-20

## Two-Wheel Drive and Four-Wheel Drive Mini Pickup Trucks

SPECIFICATION #2320-41G-01

	Items 1, 40, 79 & 118 2WD Regular Cab Mini Pickup	Items 2, 41, 80 & 119 2WD Regular Cab Mini Pickup	Items 3, 42, 81 & 120 4WD Regular Cab Mini Pickup	Items 4, 43, 82 & 121 2WD Extended Cab Mini Pickup	Items 5, 44, 83 & 122 4WD Extended Cab Mini Pickup
Make & Model	Ford Ranger	Ford Ranger	Chevy Colorado	Ford Ranger Super Cab	Chevy Colorado
GVWR	4380 Lbs.	4380 Lbs.	5150 Lbs.	4760 Lbs.	5150 Lbs.
GAWR, Front	2000-2400 Lbs.	2300 Lbs.	2753 Lbs.	2200-2600 Lbs.	2753 Lbs.
GAWR, Rear	2550 Lbs.	2750 Lbs.	2900 Lbs.	2600 Lbs.	2900 Lbs.
Payload	1260 Lbs.	1260 Lbs.	1535 Lbs.	1260 Lbs.	1535 Lbs.
Bed Size	6.0 Ft.	6.0 Ft.	6.0 Ft.	6.0 Ft.	6.0 Ft.
Wheelbase	112 In.	112 In.	111 In.	126 In.	126 In.
EPA Mileage (City/Highway)	22/26 MPG	18/22 MPG	18/22 MPG	18/22 MPG	18/22 MPG
CARB Emission Certification	ULEV	ULEV	ULEV	ULEV	ULEV
Engine	4-Cyl. 2.3 L, 12V, MFI	6-Cyl. 3.0 L MFI	5-Cyl. 3.5 L, 20 V, MFI	6-Cyl. 3.0 L MFI	5-Cyl. 3.5 L, 20 V, MFI
Power	143 HP	148 HP	220 HP	148 HP	220 HP
Torque	154 Lb.-Ft.	185 Lb.-Ft.	225 Lb.-Ft.	185 Lb.-Ft.	225 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10	3.73	3.73	3.73	3.73
Brakes	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS
Wheels & Tires	All Season P225/70R15 BSW	All Season P225/70R15 BSW	All Season P235/75R15	All Season P225/70R15 BSW	All Season P235/75R15
Fuel Tank Capacity	17 Gal.	17 Gal.	19.6 Gal.	19.5 Gal.	19.6 Gal.
Alternator	95 Amps	95 Amps	100 Amps	95 Amps	100 Amps
Battery	540 CCA	540 CCA	690 CCA	540 CCA	690 CCA
Bumpers, Front & Rear	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard
Tow Hooks, Front	Not Available	Not Available	Available	Not Available	Available
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Cloth Bench	Cloth Bench	Split Cloth Bench	Cloth Bench	Split Cloth Bench

Contract 1-05-23-20

## Two-Wheel Drive Full Size Pickup Trucks

SPECIFICATION #2320-41G-01

	Items 6, 45, 84 & 123 2WD Regular Cab Short Bed Pickup	Items 7, 46, 85 & 124 2WD Extended Cab Short Bed Pickup	Items 8, 47, 86 & 125 2WD Regular Cab Long Bed Pickup	Items 9, 48, 87 & 126 2WD Extended Cab Long Bed Pickup
Make & Model	Chevrolet Silverado 1500/ GMC Sierra 1500	Chevrolet Silverado 1500	Chevrolet Silverado 1500/ GMC Sierra 1500	Chevrolet Silverado 1500
GVWR	6100 Lbs.	6200 Lbs.	6400 Lbs.	6400 Lbs.
GAWR, Front	3150 Lbs.	3600 Lbs.	3150 Lbs.	3600 Lbs.
GAWR, Rear	3750 Lbs.	3750 Lbs.	3750 Lbs.	3750 Lbs.
Payload	1958 Lbs.	1645 Lbs.	2123 Lbs.	1590 Lbs.
Bed Size	6.5 Ft.	6.5 Ft.	8 Ft.	8 Ft.
Wheelbase	119 In.	143.5 In.	133 In.	157 In.
EPA Mileage (City/Highway)	16/20 MPG	16/20 MPG	16/20 MPG	16/20 MPG
CARB Emission Certification	SULEV	SULEV	SULEV	SULEV
Engine	8-Cyl. 5.3L SFI	8-Cyl. 5.3L SFI	8-Cyl. 5.3L SFI	8-Cyl. 5.3L SFI
Power	295 HP	295 HP	295 HP	295 HP
Torque	330 Lb.-Ft.	330 Lb.-Ft.	330 Lb.-Ft.	330 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	3.23	3.23	3.23	3.23
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P245/70R17 BSW	All Season P245/70R17 BSW	All Season P245/70R17 BSW	All Season P245/70R17 BSW
Fuel Tank Capacity	26 Gallons	26 Gallons	34 Gallons	34 Gallons
Alternator	105 Amps	105 Amps	145 Amps	145 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Available	Available	Available	Available
Trailer Tow Package	Available	Available	Available	Available
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Available	Available	Available	Available
Door Locks, Power	Available	Available	Available	Available
Mirrors, Power	Incl. W/Power Windows	Available	Incl. W/Power Windows	Incl. W/Power Windows
Seats	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench

## Two-Wheel Drive and Four-Wheel Drive Full Size Pickup Trucks

SPECIFICATION #2320-41G-01

	<b>Items 10, 49, 88 &amp; 127</b> 4WD Crew Cab Sport Bed Pickup	<b>Items 11, 50, 89 &amp; 128</b> 2WD Regular Cab Long Bed Pickup	<b>Items 12, 51, 90 &amp; 129</b> 2WD Extended Cab Long Bed Pickup	<b>Items 13, 52, 91 &amp; 130</b> 2WD Crew Cab Long Bed Pickup
Make & Model	Dodge Ram 1500 Quad	Dodge Ram 2500	Ford F250 Super Duty	Dodge 2500 Quad Cab
GVWR	6800 Lbs.	8650 Lbs.	9200 Lbs.	8800 Lbs.
GAWR, Front	3900 Lbs.	5200 Lbs.	4400 Lbs.	5200 Lbs.
GAWR, Rear	3900 Lbs.	6150 Lbs.	6085 Lbs.	6150 Lbs.
Payload	1510 Lbs.	3200 Lbs.	3035 Lbs.	2810 Lbs.
Bed Size	6.25 Ft.	8.0 Ft.	8.0 Ft.	8.0 Ft.
Wheelbase	140 In.	140 In.	158 In.	160.5 In.
EPA Mileage (City/Highway)	14/18 MPG	N/A	N/A	N/A
CARB Emission Certification	ULEV	N/A	N/A	N/A
Engine	8-Cyl. 4.7L SMPI	8-Cyl. 5.7L, 16 V, SFI	8-Cyl. 5.4L EFI	8-Cyl. 5.7L SMPI
Power	235 HP	345 HP	260 HP	345 HP
Torque	295 Lb.-Ft.	375 Lb.-Ft.	350 Lb.-Ft.	375 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive
Axle Ratio, Rear	3.55 LS	3.73	3.73	3.73
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P245/70R17 BSW	All Season LT245/70R17 BSW	All Season LT235/85R16 BSW	All Season LT245/70R17E BSW
Fuel Tank Capacity	26 Gallons	35 Gallons	38 Gallons	35 Gallons
Alternator	136 Amps	136 Amps	130 Amps	136 Amps
Battery	600 CCA	750 CCA	750 CCA	750 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Included	Available	Included	Available
Trailer Tow Package	Available	Included	Included	Included
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Split Cloth Bench w/Folding Rear	Split Cloth Bench	Cloth Bench w/Folding Rear	Front and Rear Cloth Bench

## Two- and Four-Wheel Drive Full Size Pickups and Truck Cab-and-Chassis'

SPECIFICATION #2320-41G-01 **CHANGES NOTED IN BOLD**

	Items 14, 53, 92 & 131 2WD Regular Cab Cab-and-Chassis	Items 15, 54, 93 & 132 4WD Regular Cab Short Bed Pickup	Items 16 & 94 4WD Extended Cab Short Bed Pickup	Items 55 & 133 4WD Extended Cab Short Bed Pickup
Make & Model	Dodge Ram 2500	Dodge Ram 1500	Chevrolet Silverado 1500 Ext.	Ford F150 Super Cab
GVWR	8650 Lbs.	6350 Lbs.	6400 Lbs.	6950 Lbs.
GAWR, Front	5200 Lbs.	3900 Lbs.	3925 Lbs.	4400 Lbs.
GAWR, Rear	6150 Lbs.	3900 Lbs.	3750 Lbs.	3800 Lbs.
Payload	-----	1300 Lbs.	1490 Lbs.	1530 Lbs.
Bed Size	-----	6.3 Ft.	6.5 Ft.	6.5 Ft.
Wheelbase	140 In.	120 In.	143.5 In.	145 In.
Cab-to-Axle	56 In.	-----	-----	-----
EPA Mileage (City/Highway)	N/A	14/18 MPG	15/19 MPG	14/18 MPG
CARB Emission Certification	N/A	ULEV	SULEV	ULEV
Engine	8-Cyl. 5.7 L, 16 V, SFI	8-Cyl. 4.7L SFI	8-Cyl. 5.3L SFI	8-Cyl. 4.6L, 16 V, EFI
Power	345 HP	235 HP	295 HP	231 HP
Torque	375 Lb.-Ft.	300 Lb.-Ft.	330 Lb.-Ft.	330 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	3.73	3.55 LS	3.42 LS	3.55 LS
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT245/75R16E BSW	All Season P245/70R17 BSW	All Season P265/70R17 BSW	All Season P235/75R17 BSW
Fuel Tank Capacity	35 Gallons	26 Gallons	26 Gallons	27 Gallons
Alternator	105 Amps	136 Amps	105 Amps	130 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard Front Only	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	-----	Included	Included	Included
Trailer Tow Package	-----	Available	<b>Available</b>	Available
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Available	Requires Upgrade	Available W/Pwr Locks	Available W/Pwr Locks
Door Locks, Power	Available	Available	Available	Available
Mirrors, Power	Available	Requires Upgrade	Incl. W/power Windows	Incl. W/power Windows
Seats	Slit Cloth Bench	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench

## Four-Wheel Drive Pickups and Truck Cab-and-Chassis'

SPECIFICATION #2320-41G-01

	Items 17, 56 & 95 4WD Regular Cab Long Bed Pickup	Items 134 4WD Regular Cab Long Bed Pickup	Items 18, 57, 96 & 135 4WD Extended Cab Long Bed Pickup	Items 19, 58, 97 & 136 4WD Regular Cab Cab-and-Chassis	Items 20, 59, 98 & 137 4WD Crew Cab Short Bed Mini Pickup
Make & Model	Dodge Ram 2500	GMC Sierra 2500	Dodge Ram 2500 Quad Cab	Chevrolet Silverado 2500/ GMC Sierra 2500	Chevy Colorado Crew Cab
GVWR	8650 Lbs.	9200 Lbs.	8650 Lbs.	9200 Lbs.	5300
GAWR, Front	5200 Lbs.	4500 Lbs.	5200 Lbs.	4500 Lbs.	2753 Lbs.
GAWR, Rear	6200 Lbs.	6084 Lbs.	6200 Lbs.	6084 Lbs.	2900 Lbs.
Payload	2780 Lbs.	3918 Lbs.	2780 Lbs.	-----	1338 Lbs.
Bed Size	8.0 Ft.	8.0 Ft.	8.0 Ft.	-----	5 Ft.
Wheelbase	140 In.	133 In.	160 In.	133 In.	126 In.
Cab-to-Axle	-----	-----	-----	56 In.	-----
EPA Mileage (City/Highway)	N/A	N/A	N/A	N/A	17/22 MPG
CARB Emission Certification	N/A	N/A	N/A	N/A	ULEV
Engine	8-Cyl. 5.7L, 16V, SFI	8-Cyl. 6.0L SFI	8-Cyl. 5.7L, 16V, SFI	8-Cyl. 6.0L SFI	5-Cyl. 3.7L, 20V, MFI
Power	345 HP	300 HP	345 HP	300 HP	220 HP
Torque	375 Lb.-Ft.	360 Lb.-Ft.	375 Lb.-Ft.	360 Lb.-Ft.	225 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	3.73 LS	4.10 LS	3.73 LS	4.10 LS	3.73 LS
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT245/70R17 BSW	All Season LT245/75R16E BSW	All Season LT245/70R17 BSW	All Season LT245/75R16E BSW	All Season P235/75R15 BSW
Fuel Tank Capacity	35 Gallons	34 Gallons	35 Gallons	34 Gallons	19.6 Gallons
Alternator	136 Amps	105 Amps	136 Amps	105 Amps	100 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA	690 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard Front Only	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard Front Only	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Included	Included	Included	Included	-----
Trailer Tow Package	Included	-----	Included	-----	Available
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM Stereo w/CD
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Windows, Power	Avail. W Pwr Locks	Available	Avail. W Pwr Locks	Available	Available
Door Locks, Power	Available	Available	Available	Available	Available
Mirrors, Power	Incl. W/Power Windows	Available	Incl. W/Power Windows	Available	Available
Seats	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench	60/40 Split Front/Rear Bench

## Mini and Full Size Passenger Vans

SPECIFICATION #2320-41G-02 **CHANGES NOTED IN BOLD**

	<b>Items 21, 60, 99 &amp; 138</b> Front-Wheel Drive 7 Passenger Mini Van	<b>Items 22, 61, 100 &amp; 139</b> All-Wheel Drive 8 Passenger Mini Van	<b>Items 23, 62, 101 &amp; 140</b> Rear-Wheel Drive 8 Passenger Full Size Van	<b>Items 24, 63, 102 &amp; 141</b> Rear-Wheel Drive 12 Passenger Full Size Van	<b>Items 25, 64, 103 &amp; 142</b> Rear-Wheel Drive 15 Passenger Full Size Van
Make & Model	Dodge Grand Caravan	No Award	Ford E150 Econoline	Ford E-350 Econoline	Ford E-350 Econoline Extended
GVWR	6600 Lbs.		7000 Lbs.	8600	<b>9,400 Lbs.</b>
Payload	1348 Lbs.		1920 Lbs.	<b>4045 Lbs.</b>	<b>3800 Lbs.</b>
Wheelbase	119 In.		138 In.	138 In.	138 In.
EPA Mileage (City/Highway)	19/26 MPG		15/19 MPG	N/A	N/A
CARB Emission Certification	LEV II		ULEV	N/A	N/A
Engine	6-Cyl. 3.3L, 12V, SFI		8-Cyl. 4.6L EFI	<b>10-Cyl.</b> 6.8L, 20V, EFI	<b>10-Cyl.</b> 6.8L, 20V, EFI
Power	180 HP		225 HP	305 HP	305 HP
Torque	210 Lb.-Ft.		286 Lb.-Ft.	420 Lb.-Ft.	420 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive		4-Speed Automatic with Overdrive	<b>5-Speed Automatic</b> with Overdrive	<b>5-Speed Automatic</b> with Overdrive
Axle Ratio	2.49		3.55	3.73	3.55
Brakes	Power with 4-Wheel ABS		Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P215/70R15 BSW		All Season P235/75R16XL	All Season LT225/75R16E BSW	All Season LT245/75R16E BSW
Fuel Tank Capacity	20 Gallons		35 Gallons	35 Gallons	35 Gallons
Alternator	140 Amps		130 Amps	130 Amps	130 Amps
Battery	500 CCA		750 CCA	650 CCA	650 CCA
Trailer Tow Package	Not Available		Available	Available	Available
Air Conditioning	Front and Rear		Front and Rear	Front and Rear	Front and Rear
Radio	AM/FM ETR Stereo		AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags		Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Included		Available	Available	Available
Steering, Tilt	Included		Included	Included	Included
Windows, Power	Available		Available	Available	Available
Windows, Privacy Tint	Included		Included	Included	Included
Mirrors, Power	Available		Available	Available	Available
Door Locks, Power	Available		Available	Available	Available
Side Door(s)	Dual Sliding		Right Side Sliding	Right Side Sliding	Right Side Sliding
Rear Door	Hatch		Panel	Panel	Panel
Seats	Cloth Front Captain's Chairs w/Center & Rear Bench		Front Cloth Buckets w/Center & Rear Bench	Front Cloth Buckets w/Center & 2 Rear Bench	Front Cloth Buckets w/Center & 3 Rear Bench

Contract 1-05-23-20

## Mini and Full Size Cargo Vans

SPECIFICATION #2320-41G-02

	<b>Items 26, 65, 104 &amp; 143</b> Front-Wheel Drive 2 Passenger Mini Cargo Van	<b>Items 27, 66, 105 &amp; 144</b> All-Wheel Drive 2 Passenger Mini Cargo Van	<b>Items 28, 67, 106 &amp; 145</b> Rear-Wheel Drive 2 Passenger Full Size Cargo Van	<b>Items 29, 68, 107, &amp; 146</b> Rear-Wheel Drive 2 Passenger Full Size Cargo Van
Make & Model	Dodge Caravan Cargo	Chevrolet Astro/ GMC Safari Cargo	Ford E 150 Cargo	Chevy Express 3500 Cargo/ GMC Savana 3500 Cargo
GVWR	5500 Lbs.	5850 Lbs.	6700 Lbs.	9600 Lbs.
Payload	1348 Lbs.	1742 Lbs.	2410 Lbs.	4232 Lbs.
Wheelbase	113 In.	111 In.	138 In.	135 In.
EPA Mileage (City/Highway)	19/26 MPG	15/19 MPG	13/18 MPG	N/A
CARB Emission Certification	LEV II	ULEV	ULEV	N/A
Engine	6-Cyl. 3.3L, 12V, SFI	6-Cyl. 4.3L MFI	8-Cyl. 4.6L SMPI	8-Cyl. 4.8L SFI
Power	180 HP	190 HP	225 HP	285 HP
Torque	210 Lb.-Ft.	250 Lb.-Ft.	286 Lb.-Ft.	295 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio	2.49	3.42	3.55	3.73
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P215/70R15 BSW	All Season P215/70R16 BSW	All Season P235/70R16 BSW	All Season LT245/75R16E BSW
Fuel Tank Capacity	20 Gallons	27 Gallons	35 Gallons	31 Gallons
Alternator	140 Amps	105 Amps	130 Amps	105 Amps
Battery	500 CCA	600 CCA	650 CCA	600 CCA
Trailer Tow Package	Available	Available	Available	Available
Air Conditioning	Front Only	Front Only	Front Only	Front Only
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Driver's Front Air Bag
Speed Control	Included	Included	Available	Available
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Available	Available	Available	Included
Windows, Privacy Tint	Included	Included	Included	Included
Mirrors, Power	Available	Not Available	Available	Included
Door Locks, Power	Available	Available	Available	Included
Side Door	Right Side Sliding	Right Side Sliding	Right Side Sliding	Right Side Sliding
Rear Door	Panel	Panel	Panel	Panel
Seats	Front Cloth Buckets	Front Cloth Buckets	Front Cloth Buckets	Front Cloth Buckets

Contract 1-05-23-20

## Sport Utility Vehicles

SPECIFICATION #2320-41G-05

	<b>Items 30, 69,108 &amp; 147</b> Four-Wheel Drive 5 Passenger Small 4-Door Utility	<b>Items 31, 70, 109 &amp; 148</b> Four-Wheel Drive 5 Passenger Mid Size 4-Door Utility	<b>Items 32, 71, 110 &amp; 149</b> Four-Wheel Drive 5 Passenger Full Size 4-Door Utility
Make & Model	Jeep Liberty	Ford Explorer	Dodge Durango
GVWR	5200 Lbs.	5928 Lbs.	6600 Lbs.
Payload	1150 Lbs.	1430 Lbs	1580 Lbs.
Wheelbase	104 In.	114 In.	119 In.
EPA Mileage (City/Highway)	17/22 MPG	15/20 MPG	14/18 MPG
CARB Emission Certification	LEV II	ULEV	SULEV
Engine	6-Cyl. 3.7L SFI	6-Cyl. 4.0 L SFI	8-Cyl. 4.7L, 16V, SFI
Power	210 HP	210 HP	230 HP
Torque	235 Lb.-Ft.	254 Lb.-Ft.	290 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive
Transfer Case	Part-Time w/ Manual Engagement	Part-Time w/Push Button Autotrac	Full-Time w/2-Speed
Axle Ratio	4.10 LS	3.55 Control Trac	3.55 Control Trac
Brakes	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS
Wheels & Tires	All Season P225/75R16 BSW	All Season P255/70R16 BSW	All Season P245/70R17 BSW
Front Hubs	Automatic Locking	Automatic Locking	Automatic Locking
Skid Plates	Included	Included	Included
Front Tow Hooks	Included	Included	Included
Fuel Tank Capacity	20.5 Gallons	22 Gallons	27 Gallons
Alternator	136 Amps	150 Amps	136 Amps
Battery	600 CCA	600 CCA	600 CCA
Trailer Tow Package	Available	Included	Included
Air Conditioning	Front Only	Front Only	Front (Rear Available)
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo w/CD	AM/FM ETR Stereo w/CD
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Available	Available	Included
Steering, Tilt	Included	Included	Included
Windows, Power	Available	Included	Included
Windows, Privacy Tint	Available	Available	Included
Mirrors, Power	Available	Available	Included
Door Locks, Power	Available	Included	Included
Rear Door	Swing Gate w/Flip-up Window	Hatch w/Flip-up Window	Hatch w/Flip-up Window
Seats	Front Cloth Buckets w/Split Rear Bench	Front Cloth Buckets w/Split Rear Bench	Front Cloth Buckets w/Split Rear Bench



Contract 1-05-23-20

## Pickups and Truck Cab-and-Chassis' Over 10,000 Lbs. GVWR

SPECIFICATION #2320-41G-06

	Items 33 & 72 2WD Regular Cab Full Size Pickup	Items 111 & 150 2WD Regular Cab Full Size Pickup	Items 34, 73, 112 & 151 2WD Regular Cab Cab-and-Chassis	Items 35, 74, 113 & 152 4WD Regular Cab Cab-and-Chassis	Items 36, 75, 114 & 153 2WD Extended Cab Cab-and-Chassis
Make & Model	Ford F350	Dodge Ram 3500	Chevrolet Silverado 3500/ GMC Sierra 3500	Chevrolet Silverado 3500/ GMC Sierra 3500	Chevrolet Silverado 3500 Ext./ GMC Sierra 3500 Ext.
GVWR	11000 Lbs.	11000 Lbs.	11400 Lbs.	12000 Lbs.	11400 Lbs.
GAWR, Front	3650 Lbs.	4000 Lbs.	4500 Lbs.	4670 Lbs.	4672 Lbs.
GAWR, Rear	8250 Lbs. (DRW)	9350 Lbs. (DRW)	8550 Lbs.	8600 Lbs.	8550 Lbs.
Payload	5540 Lbs.	5040 Lbs.	-----	-----	-----
Bed Size	8.0 Ft.	8.0 Ft.	-----	-----	-----
Wheelbase	137 In.	140 In.	137 In.	137 In.	161.5in.
Cab-to-Axle	-----	-----	60 In.	60 In.	60.4 In.
Engine	10-Cyl. 6.8L EFI	8-Cyl. 5.7L, HEMI, SFI	8-Cyl. 6.0L SFI	8-Cyl. 6.0L SFI	8-Cyl. 6.0L SFI
Power	310 HP	345 HP	300 HP	300 HP	300 HP
Torque	425 Lb.-Ft.	425 Lb.-Ft.	360 Lb.-Ft.	360 Lb.-Ft.	360 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.30 LS	4.10	4.10	4.10	4.10
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT235/85R16E BSW	All Season LT235/80R17 BSW	All Season LT215/85R16D BSW	All Terrain LT215/85R16D BSW	All Season LT215/85R16D BSW
Fuel Tank Capacity	38 Gallons	35 Gallons	32 Gallons	32 Gallons	32 Gallons
Alternator	130 Amps	136 Amps	105 Amps	105 Amps	105 Amps
Battery	750 CCA	600 CCA	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only
Tow Hooks, Front	Included	Available	-----	-----	Available
Trailer Tow Package	Included	Available	-----	-----	-----
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Available	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Seats	Cloth Bench	Cloth Bench	Cloth Bench 40/20/40	Cloth Bench 40/20/40	Front 40/20/40 and Rear Bench

Contract 1-05-23-20

## Truck Cab-and-Chassis' Over 10,000 Lbs. GVWR

SPECIFICATION #2320-41G-06

	Items 37, 76, 115 & 154 2WD Crew Cab Cab-and-Chassis	Items 38, 77, 116 & 155 2WD Regular Cab Cab-and-Chassis	Items 39, 78, 117 & 156 2WD Regular Cab Cab-and-Chassis
Make & Model	Ford F350 Super Duty	Ford F450 Super Duty	Ford F550 Super Duty
GVWR	13000 Lbs.	16000 Lbs.	17950 Lbs.
GAWR, Front	TBD	6000 Lbs.	6000 Lbs.
GAWR, Rear	TBD	11000 Lbs.	13500 Lbs.
Payload	6600 Lbs. Max	-----	-----
Bed Size	-----	-----	-----
Wheelbase	176 In.	141 In.	165 In.
Cab-to-Axle	60 In.	60 In.	84 In.
Engine	10-Cyl. 6.8L EFI	10-Cyl. 6.8L SFI	10-Cyl. 6.8L SFI
Power	362 HP	362 HP	362 HP
Torque	457 Lb.-Ft.	457 Lb.-Ft.	457 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10	4.88	4.88
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT245/75R17E BSW	Highway Tread 225/70R19.5F BSW	All Season 225/70R19.5F BSW
Fuel Tank Capacity	40 Gallons	40 Gallons	40 Gallons
Alternator	130 Amps	130 Amps	130 Amps
Battery	750 CCA	750 CCA	750 CCA
Bumpers, Front & Rear	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only
Tow Hooks, Front	Included	Included	Included
Trailer Tow Package	-----	-----	-----
Air Conditioning	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	-----	-----
Speed Control	Available	Available	Available
Steering, Tilt	Included	Included	Included
Seats	Cloth w/Vinyl Weave	Cloth Bench	Cloth Bench